

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Stucco Aqua

Revision: 07.05.2026

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Stucco Aqua

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Building and construction work.

Uses advised against

Any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name: Stucco Pompeji GmbH
Street: Annaberg 17
Place: D-37351 Dingelstädt / OT Struth
Telephone: +49 36026 90 401
E-mail: info@stucco-pompeji.de
1.4. Emergency telephone number: +49(0)36026-90401 (Mo-Fr, 08:00-16:00)

Further Information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin Irrit. 2; H315

Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

Cement, portland, chemicals
calcium hydroxide

Signal word: Danger

Pictograms:



Hazard statements

H315 Causes skin irritation.
H318 Causes serious eye damage.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P280 Wear protective gloves and eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P501 Dispose of contents/container to local/regional/national/international regulations.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Stucco Aqua

Revision: 07.05.2026

Page 2 of 12

2.3. Other hazards

The substances in the mixture (>0,1%) do not meet the PBT/vPvB criteria according to REACH, annex XIII. This product does not contain a substance (> 0,1%) that has endocrine disrupting properties with respect to humans as no components meets the criteria. This product does not contain a substance (> 0,1 %) that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
65997-15-1	Cement, portland, chemicals			7 - < 10 %
	266-043-4			
	Skin Irrit. 2, Eye Dam. 1, STOT SE 3; H315 H318 H335			
1305-62-0	calcium hydroxide			5 - < 7 %
	215-137-3		01-2119475151-45	
	Skin Irrit. 2, Eye Dam. 1, STOT SE 3; H315 H318 H335			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
1305-62-0	215-137-3	calcium hydroxide	5 - < 7 %
	inhalation: LC50 = > 6,04 mg/l (dusts or mists); dermal: LD50 = > 2500 mg/kg; oral: LD50 = > 2000 mg/kg		

Further Information

calcium hydroxide: Substance with a common (EC) occupational exposure limit value.

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH)

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

After contact with skin

Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

See sections 2 and 11

Stucco Aqua

Revision: 07.05.2026

Page 3 of 12

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

General information: Carbon dioxide (CO₂). Dry extinguishing powder. Alcohol resistant foam. Water fog.
The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon dioxide (CO₂). Carbon monoxide (CO).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.
Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid dust formation.
Do not breathe dust.

For non-emergency personnel

Wear personal protection equipment (refer to section 8).

For emergency responders

No special measures are necessary.

6.2. Environmental precautions

Discharge into the environment must be avoided.

6.3. Methods and material for containment and cleaning up

For containment

Take up mechanically.
Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Wear personal protection equipment (refer to section 8).

Advice on protection against fire and explosion

Usual measures for fire prevention. Dust clouds may present an explosion hazard.

Advice on general occupational hygiene

Always close containers tightly after the removal of product. When using do not eat, drink or smoke. Wash

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Stucco Aqua

Revision: 07.05.2026

Page 4 of 12

hands before breaks and after work.

Further information on handling

Avoid generation of dust.

General protection and hygiene measures: refer to section 8

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Hints on joint storage

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

Recommended storage temperature: 20 °C

Protect against: Humidity

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

CAS No	Name of agent	ppm	mg/m ³	fib/cm ³	Category	Origin
1305-62-0	Calcium dihydroxide (respirable fraction)	-	1		TWA (8 h)	
		-	4		STEL (15 min)	

DNEL/DMEL values

CAS No	Name of agent	Exposure route	Effect	Value
1305-62-0	calcium hydroxide			
Consumer DNEL, long-term		inhalation	local	1 mg/m ³
Consumer DNEL, acute		inhalation	local	4 mg/m ³
Worker DNEL, long-term		inhalation	local	1 mg/m ³
Worker DNEL, acute		inhalation	local	4 mg/m ³

PNEC values

CAS No	Name of agent	Value
	Environmental compartment	
1305-62-0	calcium hydroxide	
Freshwater		0,49 mg/l
Freshwater (intermittent releases)		0,49 mg/l
Marine water		0,32 mg/l
Microorganisms in sewage treatment plants (STP)		3 mg/l
Soil		1080 mg/kg

8.2. Exposure controls

Stucco Aqua

Revision: 07.05.2026

Page 5 of 12



Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Dust must be exhausted directly at the point of origin.

Individual protection measures, such as personal protective equipment

Eye/face protection

Dust protection goggles.

Hand protection

Wear suitable gloves.

Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time $\geq$ 8 h

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time $\geq$ 8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time $\geq$ 8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time $\geq$ 8 h

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Breakthrough time $\geq$ 8 h

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

The selected protective gloves have to satisfy the specifications of EU Directive EC/ 2016/425 and the standard EN 374 derived from it.

Check leak tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Suitable protective clothing: Lab coat.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

-Exceeding exposure limit values

-Generation/formation of dust

Suitable respiratory protection apparatus: particulates filter device (DIN EN 143). Filter type:: P1-3

Half-face mask or quarter facepiece: maximum use concentration for substances with exposure limits: P1 filter: up to a max. of 4 times the exposure limit. P2 filter: up to a max. of 10 times the exposure limit. P3 filter: up to a max. of 30 times the expo.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Thermal hazards

Material handled at elevated temperature may cause thermal burns by contact with molten product.

Environmental exposure controls

Do not allow uncontrolled discharge of product into the environment.

Stucco Aqua

Revision: 07.05.2026

Page 6 of 12

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	solid	
Colour:	white	
Odour:	odourless	
Odour threshold:	not determined	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		not determined
Flammability:		not determined
Lower explosion limits:		not relevant
Upper explosion limits:		not relevant
Flash point:		not relevant
Auto-ignition temperature:		not relevant
Decomposition temperature:		not relevant
pH-Value:		not determined
Viscosity / kinematic:		not relevant
Water solubility:		not determined
Solubility in other solvents		
not determined		
Dissolution rate:		not relevant
Partition coefficient n-octanol/water:		not relevant
Dispersion stability:		not relevant
Vapour pressure:		not determined
Density:		not determined
Bulk density:		not determined
Relative vapour density:		not relevant
Particle characteristics:		not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

Dust clouds may present an explosion hazard.

Sustained combustibility:

No sustained combustibility

Self-ignition temperature

Solid:

not determined

Oxidizing properties

none

Other safety characteristics

Evaporation rate:	not determined
Solvent separation test:	not determined
Solvent content:	not determined
Sublimation point:	not relevant
Softening point:	not relevant
Pour point:	not relevant
Viscosity / dynamic:	not relevant
Flow time:	not relevant

Further Information

No information available.

SECTION 10: Stability and reactivity

Stucco Aqua

Revision: 07.05.2026

Page 7 of 12

10.1. Reactivity

No information available.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.
Refer to section 10.5.

10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

10.5. Incompatible materials

Materials to avoid: Oxidising agent, strong. Reducing agents, strong. acid.

10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicokinetics, metabolism and distribution

No data available.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
1305-62-0	calcium hydroxide				
	oral	LD50 > 2000 mg/kg	Rat	REACH Registration Dossier	OECD Guideline 425
	dermal	LD50 > 2500 mg/kg	Rabbit	REACH Registration Dossier	EU Method B.3
	inhalation (4 h) dust/mist	LC50 > 6,04 mg/l	Rat	REACH Registration Dossier	OECD Guideline 436

Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

calcium hydroxide (CAS No. 1305-62-0):

In-vitro mutagenicity:

Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay)

Method: OECD Guideline 473 (In Vitro Mammalian Chromosome Aberration Test)

Method: OECD Guideline 476 (In Vitro Mammalian Cell Gene Mutation Test)

Result: negative.

Literature information: ECHA Dossier

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Stucco Aqua

Revision: 07.05.2026

Page 8 of 12

Carcinogenicity:

Method: -

Species: Fischer 344 Rat

Result: NOAEL = 2150 mg/kg bw/day

Result: negative.

Literature information: ECHA Dossier

developmental toxicity/teratogenicity:

Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study)

Species: Wistar Rat

Results: NOAEL (maternal) = 680 mg/kg bw/day

Results: NOAEL (fetuses) = > 680 mg/kg bw/day

Literature information: ECHA Dossier

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

calcium hydroxide (CAS No. 1305-62-0):

Subchronic inhalative toxicity

Method: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)

Species: Wistar Rat

Result: NOAEC = 0.107 mg/L Air.

Literature information: ECHA Dossier

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance (> 0,1%) that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Other information

No data available.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
1305-62-0	calcium hydroxide					
	Acute fish toxicity	LC50 mg/l	50,6	96 h	Oncorhynchus mykiss (previous name: Salmo gairdner)	REACH Registration Dossier OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	184,57	72 h	Raphidocelis subcapitata (previous names: Pseudoki)	REACH Registration Dossier OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	49,1	48 h	Daphnia magna	REACH Registration Dossier OECD Guideline 202

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Stucco Aqua

Revision: 07.05.2026

Page 9 of 12

	Crustacea toxicity	NOEC	32 mg/l	14 d	Crangon septemspinosa	REACH Registration Dossier	Toxicity test was conducted by a standar
	Acute bacteria toxicity	EC50 mg/l ()	300,4	3 h	activated sludge of a predominantly domestic sewage	REACH Registration Dossier	OECD Guideline 209

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

BCF

CAS No	Chemical name	BCF	Species	Source
1305-62-0	calcium hydroxide	21,09	Lolium perenne cv Nui (perennial ryegrass)	REACH Registration D

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.7. Other adverse effects

No data available.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal.

Non-contaminated packages may be recycled.

According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

List of Wastes Code - residues/unused products

160303 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; inorganic wastes containing hazardous substances; hazardous waste

List of Wastes Code - used product

160303 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; inorganic wastes containing hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Stucco Aqua

Revision: 07.05.2026

Page 10 of 12

Contaminated packaging

Contaminated packages must be completely emptied and can be re-used following proper cleaning.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

refer to section 6 - 8

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Directive 2010/75/EU on industrial emissions:	not determined
Directive 2004/42/EC on VOC in paints and varnishes:	not determined
Information according to Directive 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)
The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].
REACH 1907/2006 Appendix XVII, No (mixture): -

National regulatory information

Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
Water hazard class (D):	1 - slightly hazardous to water

Stucco Aqua

Revision: 07.05.2026

Page 11 of 12

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:
calcium hydroxide

SECTION 16: Other information

Changes

Rev. 1,0; Initial release, 26.07.2018

Rev. 2,0; Changes in section: 2, 3, 6, 9, 10, 11, 12, 15, 16, 21.02.2022

Rev. 3,0; Revision, Changes in section: 1–16; 07.05.2026

Abbreviations and acronyms

Skin Irrit. 2: Skin irritation, hazard category 2

Eye Dam. 1: Serious eye damage, hazard category 1

STOT SE 3: Specific target organ toxicity - single exposure, hazard category 3

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging of substances and mixtures

DNEL: Derived No Effect Level

d: day(s)

EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European List of Notified Chemical Substances

ECHA: European Chemicals Agency

EWC: European Waste Catalogue

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

h: hour

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect concentration

NLP: No-Longer Polymers

N/A: not applicable

OECD: Organisation for Economic Co-operation and Development

PNEC: predicted no effect concentration

PBT: Persistent bioaccumulative toxic

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail

REACH: Registration, Evaluation, Authorisation of Chemicals

SVHC: substance of very high concern

TRGS: Technische Regeln für Gefahrstoffe

UN: United Nations

VOC: Volatile Organic Compounds

WGK: Water Hazard Class (Germany)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Stucco Aqua

Revision: 07.05.2026

Page 12 of 12

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Dam. 1; H318	Calculation method

Relevant H and EUH statements (number and full text)

H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)